

Product Catalog





Table of Contents

| | | | |
|---|----|--|----|
| About Us | 3 | Foam Insert Box (IBF) | 21 |
| Our Advantages | 4 | Universal Multi Box (UMB) | 22 |
| Our Values | 5 | Versa Box (VB) | 23 |
| About Smart Packaging | 6 | Flip Pack (FP) | 24 |
| Center Pack (CP) | 7 | Tool Pack (TP) | 25 |
| Center Pack Collet (CPC) | 8 | Round Tube (RT) | 27 |
| Micro Center Pack (MCP) | 13 | Split Micro Pack (SMP) | 28 |
| Bayo Pack (BP) | 15 | Contact Information | 29 |
| Bayo Pack SK (BPSK) | 16 | | |
| Bayo Pack Spare Parts (BPSP) | 17 | | |
| New Tool Pack (NTP) | 18 | | |
| Insert Box (IB) | 19 | | |





About Us

Plasel was founded in 1993 by Stef Wertheimer. Renowned for his entrepreneurial prowess, Wertheimer has cemented his legacy as a visionary leader.

Initially focused on building molds, Plasel quickly expanded operations to include injection molding, helping address diverse customer needs with novel and cost-effective plastic products for wide-ranging applications. In the early 2000s, the advanced IB line and CP production lines were added, specifically tailored for the cutting tools industry.

Over the years, our company became increasingly known for our expert development of novel packaging solutions, delivering second to none plastic solutions across the product cycle - from initial product design and development to full production, logistical support, and delivery. Further diversification occurred in 2008 when we added blow mold technology to our already robust capabilities, helping unveil several novel blow molded product lines to meet market demand.

Throughout our journey, we have always prioritized building strong customer relationships, offering comprehensive turnkey solutions to our customers' unique packaging needs, including product design, mold building, serial production, and logistical support worldwide. This holistic customer-centric approach, combined with our commitment to quality and innovation, has contributed and will continue to contribute to our success story.

Plasel's corporate culture is based on the following values:

**Creativity, Innovation, Excellency,
Passion, Fairness & Flexibility**



Our Advantages

Leading in Injection molding technology

We specialize in double component products and excel in combining materials using advanced insert mold and over mold technologies.

Creativity & innovation

At Plasel, we pride ourselves on our creative and innovative product designs, alongside our efficient process utilization.

J.I.T. deliveries all around the globe

Our global infrastructure ensures J.I.T. (Just-In-Time) deliveries to customers across Europe, North America, and Asia, providing timely and efficient service worldwide.

Flexible thinking and performance

Our flexibility allows us to adapt to our customers' needs, ensuring that we provide tailored solutions that meet their unique requirements.

Passion in everything we do – we strive for excellency

Our motivated employees are passionate about serving our customers optimally and are committed to continual improvement in everything we do.

Fairness and transparency with all of our business associates

Our relationships with business associates are built on fairness and transparency, fostering trust and collaboration, both within our organization and with customers and suppliers abroad.

Emphasis on quality

Quality is ingrained in our culture, beginning with product designs and extending through every stage of our operations, ensuring customers can trust our products for continuous use.

Adopting sustainability as a way of life

At Plasel, sustainability is not just a core value but a way of life. We are dedicated to creating a better world for future generations.



Our Values

Creativity

Innovation

Excellency


Passion

Fairness

Flexibility

Smart Packaging

Packaging for the cutting tool industry and far beyond



Plasel is a global leader in plastic packaging solutions, renowned for its expertise and innovation in plastic manufacturing. Our commitment to delivering creative solutions sets us apart in the industry, ensuring that every packaging need is met with precision and ingenuity.

At Plasel, flexibility and optimal customer responsiveness are at the core of our service philosophy, allowing us to adapt to the unique requirements of each client swiftly and effectively.

Our Smart Packaging solutions are designed to exceed expectations, providing seamless JIT (Just-In-Time) deliveries to any corner of the globe. Whether you're looking for standard packaging or a bespoke solution, Plasel's comprehensive approach guarantees excellence in every product we deliver.

Center Pack (CP)



High-quality plastic packaging with centering for solid carbide round tools

Features & Benefits

- > Unique self-centering feature
- > Variable diameter and length
- > Minimum items in stock
- > Quick, easy and efficient packing and handling
- > Perfect solution for delicate cutting edges
- > Ergonomic design
- > Durable and reusable
- > Sturdy, oil and moisture resistant
- > PCR and/or recyclable material
- > Environmentally friendly



Product Lines

| | Description | | Millimeters | | | Inches | | | Carton Quantity |
|------|--------------------|------------|----------------|------------------|------------------|----------------|------------------|------------------|-----------------|
| | Plug | Cap | Shank Diameter | Tool Min. Length | Tool Max. Length | Shank Diameter | Tool Min. Length | Tool Max. Length | |
| CP6 | CP6S - Short Plug | CP6-Cap-A | 3-8 | 38 | 49 | 1/8 - 5/16 | 1.5 | 1.93 | 1,000 |
| | CP6A - Plug | CP6-Cap-A | | 44 | 55 | | 1.73 | 2.17 | |
| | CP6A - Plug | CP6-Cap-B | | 62 | 73 | | 2.44 | 2.87 | |
| | CP6A - Plug | CP6-Cap-C | | 80 | 90 | | 3.15 | 3.54 | |
| | CP6A - Plug | CP6-Cap-D | | 104 | 114 | | 4.09 | 4.49 | |
| | CP6A - Plug | CP6-Cap-E | | 125 | 135 | | 4.92 | 5.31 | |
| | CP6A - Plug | CP6-Cap-F | | 180 | 185 | | 7.09 | 7.28 | |
| | CP6B - Plug | CP6-Cap-D | | 105 | 163 | | 4.13 | 6.42 | |
| | CP6B - Plug | CP6-Cap-E | | 126 | 184 | | 4.96 | 7.24 | |
| | CP6B - Plug | CP6-Cap-F | | 181 | 240 | | 7.13 | 9.45 | |
| CP10 | CP10A - Plug | CP10-Cap-A | 8-10 | 59 | 84 | 5/16 - 3/8 | 2.32 | 3.31 | 500 |
| | CP10A - Plug | CP10-Cap-B | | 84 | 108 | | 3.31 | 4.25 | |
| CP12 | CP12A - Plug | CP12-Cap-A | 8-12 | 62 | 86 | 5/16 - 1/2 | 2.44 | 3.39 | 500 |
| | CP12A - Plug | CP12-Cap-B | | 89 | 113 | | 3.5 | 4.45 | |
| | CP12A - Plug | CP12-Cap-C | | 124 | 140 | | 4.88 | 5.51 | |
| | CP12A - Plug | CP12-Cap-D | | 181 | 201 | | 7.13 | 7.91 | |
| | CP12B - Plug | CP12-Cap-C | | 123 | 190 | | 4.84 | 7.48 | |
| | CP12B - Plug | CP12-Cap-D | | 181 | 254 | | 7.13 | 10 | |
| CP16 | CP16S - Short Plug | CP16-Cap-A | 14-16 | 60 | 84 | 9/16 - 5/8 | 2.36 | 3.31 | 500 |
| | CP16A - Plug | CP16-Cap-A | | 65 | 89 | | 2.56 | 3.5 | |
| | CP16A - Plug | CP16-Cap-B | | 86 | 107 | | 3.39 | 4.21 | |
| | CP16A - Plug | CP16-Cap-C | | 114 | 135 | | 4.49 | 5.31 | |
| | CP16B - Plug | CP16-Cap-C | | 134 | 200 | | 5.28 | 7.87 | |
| CP20 | CP20S - Short Plug | CP20-Cap-A | 16-20 | 83 | 110 | 5/8 - 3/4 | 3.27 | 4.33 | 500 |
| | CP20A - Plug | CP20-Cap-A | | 89 | 114 | | 3.5 | 4.49 | |
| | CP20A - Plug | CP20-Cap-B | | 114 | 139 | | 4.49 | 5.47 | |
| | CP20A - Plug | CP20-Cap-C | | 141 | 166 | | 5.55 | 6.54 | |
| | CP20B - Plug | CP20-Cap-C | | 166 | 230 | | 6.54 | 9.06 | |
| CP26 | CA26A2C - Plug** | CP26-Cap-A | 20-26 | 88 | 135 | 3/4 - 1 | 2.23 | 5.31 | 250 |
| | CP26A - Plug | CP26-Cap-A | | 135 | 182 | | 5.31 | 7.17 | |
| | CP26A - Plug | CP26-Cap-B | | 182 | 229 | | 7.17 | 9.02 | |

** Add 2 x Cones

Center Pack Collet (CPC)



High-quality plastic packaging with shank holding base-plug for solid carbide round tools.

Features & Benefits

- > User-friendly design
- > Safe handling of sensitive and sharp-edged cutting tools
- > Simple and secure packaging
- > Dual pressing system for maximum tool safety
- > Strong and firm structure
- > Quick, easy and efficient packing and handling
- > Durable and reusable
- > Sturdy, oil and moisture resistant
- > PCR and/or recyclable material
- > Environmentally friendly



Product Lines - for Regular Cap

| Description | | Millimeters | | Carton Quantity |
|-----------------|-----------------|----------------------|------------------|-----------------|
| Plug | Regular Cap | Inner Shank Diameter | Tool Max. Length | |
| CPC6D2.5 - Plug | CP6- Cap - A ** | 2.5 | 40 | 1,000 |
| CPC6D2.5 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D2.5 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D2.5 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D2.5 - Plug | CP6- Cap - E | | 118 | |
| CPC6D2.5 - Plug | CP6- Cap - F | | 181 | |
| CPC6D3 - Plug | CP6- Cap - A ** | 3 | 40 | 1,000 |
| CPC6D3 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D3 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D3 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D3 - Plug | CP6- Cap - E | | 118 | |
| CPC6D3 - Plug | CP6- Cap - F | | 181 | |
| CPC6D4 - Plug | CP6- Cap - A ** | 4 | 40 | 1,000 |
| CPC6D4 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D4 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D4 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D4 - Plug | CP6- Cap - E | | 118 | |
| CPC6D4 - Plug | CP6- Cap - F | | 181 | |
| CPC6D5 - Plug | CP6- Cap - A ** | 5 | 40 | 1,000 |
| CPC6D5 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D5 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D5 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D5 - Plug | CP6- Cap - E | | 118 | |
| CPC6D5 - Plug | CP6- Cap - F | | 181 | |
| CPC6D6 - Plug | CP6- Cap - A ** | 6 | 40 | 1,000 |
| CPC6D6 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D6 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D6 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D6 - Plug | CP6- Cap - E | | 118 | |
| CPC6D6 - Plug | CP6- Cap - F | | 181 | |

** Available with Flat Cap

[table continueus >](#)

Center Pack Collet (CPC)



< table continued

| Description | | Millimeters | | Carton Quantity |
|-----------------|------------------|----------------------|------------------|-----------------|
| Plug | Regular Cap | Inner Shank Diameter | Tool Max. Length | |
| CPC6D7 - Plug | CP6- Cap - A ** | 7 | 40 | 1,000 |
| CPC6D7 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D7 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D7 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D7 - Plug | CP6- Cap - E | | 118 | |
| CPC6D7 - Plug | CP6- Cap - F | | 181 | |
| CPC6D8 - Plug | CP6- Cap - A ** | 8 | 40 | 1,000 |
| CPC6D8 - Plug | CP6- Cap - B ** | | 58 | |
| CPC6D8 - Plug | CP6- Cap - C ** | | 74 | |
| CPC6D8 - Plug | CP6- Cap - D ** | | 101 | |
| CPC6D8 - Plug | CP6- Cap - E | | 118 | |
| CPC6D8 - Plug | CP6- Cap - F | | 181 | |
| CPC12D8 - Plug | CP12- Cap - A ** | 8 | 53 | 500 |
| CPC12D8 - Plug | CP12- Cap - B ** | | 76 | |
| CPC12D8 - Plug | CP12- Cap - C ** | | 123 | |
| CPC12D8 - Plug | CP12- Cap - D | | 185 | |
| CPC12D10 - Plug | CP12- Cap - A ** | 10 | 53 | 500 |
| CPC12D10 - Plug | CP12- Cap - B ** | | 76 | |
| CPC12D10 - Plug | CP12- Cap - C ** | | 123 | |
| CPC12D10 - Plug | CP12- Cap - D | | 185 | |
| CPC12D12 - Plug | CP12- Cap - A ** | 12 | 53 | 500 |
| CPC12D12 - Plug | CP12- Cap - B ** | | 76 | |
| CPC12D12 - Plug | CP12- Cap - C ** | | 123 | |
| CPC12D12 - Plug | CP12- Cap - D | | 185 | |
| CPC16D14 - Plug | CP16- Cap - A ** | 14 | 61 | 500 |
| CPC16D14 - Plug | CP16- Cap - B | | 81 | |
| CPC16D14 - Plug | CP16- Cap - C | | 111 | |
| CPC16D16 - Plug | CP16- Cap - A ** | 16 | 61 | 500 |
| CPC16D16 - Plug | CP16- Cap - B | | 81 | |
| CPC16D16 - Plug | CP16- Cap - C | | 111 | |
| CPC20D18 - Plug | CP20- Cap - A ** | 18 | 77 | 500 |
| CPC20D18 - Plug | CP20- Cap - B | | 98 | |
| CPC20D18 - Plug | CP20- Cap - C | | 131 | |
| CPC20D20 - Plug | CP20- Cap - A ** | 20 | 77 | 500 |
| CPC20D20 - Plug | CP20- Cap - B | | 98 | |
| CPC20D20 - Plug | CP20- Cap - C | | 131 mm | |

** Available with Flat Cap

table continues >

Center Pack Collet (CPC)



< table continued

| Description | | Inches | | Carton Quantity |
|--------------------|------------------|----------------------|------------------|-----------------|
| Plug | Regular Cap | Inner Shank Diameter | Tool Max. Length | |
| CPC6D 1/8 - Plug | CP6- Cap - A ** | 1/8 | 1.5 | 1,000 |
| CPC6D 1/8 - Plug | CP6- Cap - B ** | | 2.25 | |
| CPC6D 1/8 - Plug | CP6- Cap - C ** | | 2.87 | |
| CPC6D 1/8 - Plug | CP6- Cap - D ** | | 4 | |
| CPC6D 1/8 - Plug | CP6- Cap - E | | 4.62 | |
| CPC6D 1/8 - Plug | CP6- Cap - F | | 7.12 | |
| CPC6D 3/16 - Plug | CP6- Cap - A ** | 3/16 | 1.5 | 1,000 |
| CPC6D 3/16 - Plug | CP6- Cap - B ** | | 2.25 | |
| CPC6D 3/16 - Plug | CP6- Cap - C ** | | 2.87 | |
| CPC6D 3/16 - Plug | CP6- Cap - D ** | | 4 | |
| CPC6D 3/16 - Plug | CP6- Cap - E | | 4.62 | |
| CPC6D 3/16 - Plug | CP6- Cap - F | | 7.12 | |
| CPC6D 1/4 - Plug | CP6- Cap - A ** | 1/4 | 1.5 | 1,000 |
| CPC6D 1/4 - Plug | CP6- Cap - B ** | | 2.25 | |
| CPC6D 1/4 - Plug | CP6- Cap - C ** | | 2.87 | |
| CPC6D 1/4 - Plug | CP6- Cap - D ** | | 4 | |
| CPC6D 1/4 - Plug | CP6- Cap - E | | 4.62 | |
| CPC6D 1/4 - Plug | CP6- Cap - F | | 7.12 | |
| CPC6D 5/16 - Plug | CP6- Cap - A ** | 5/16 | 1.5 | 1,000 |
| CPC6D 5/16 - Plug | CP6- Cap - B ** | | 2.25 | |
| CPC6D 5/16 - Plug | CP6- Cap - C ** | | 2.87 | |
| CPC6D 5/16 - Plug | CP6- Cap - D ** | | 4 | |
| CPC6D 5/16 - Plug | CP6- Cap - E | | 4.62 | |
| CPC6D 5/16 - Plug | CP6- Cap - F | | 7.12 | |
| CPC12D 3/8 - Plug | CP12- Cap - A ** | 3/8 | 2 | 500 |
| CPC12D 3/8 - Plug | CP12- Cap - B ** | | 3 | |
| CPC12D 3/8 - Plug | CP12- Cap - C ** | | 4.62 | |
| CPC12D 3/8 - Plug | CP12- Cap - D | | 7.28 | |
| CPC12D 7/16 - Plug | CP12- Cap - A ** | 7/16 | 2 | 500 |
| CPC12D 7/16 - Plug | CP12- Cap - B ** | | 3 | |
| CPC12D 7/16 - Plug | CP12- Cap - C ** | | 4.62 | |
| CPC12D 7/16 - Plug | CP12- Cap - D | | 7.28 | |
| CPC12D 1/2 - Plug | CP12- Cap - A ** | 1/2 | 2 | 500 |
| CPC12D 1/2 - Plug | CP12- Cap - B ** | | 3 | |
| CPC12D 1/2 - Plug | CP12- Cap - C ** | | 4.62 | |
| CPC12D 1/2 - Plug | CP12- Cap - D | | 7.28 | |
| CPC16D 9/16 - Plug | CP16- Cap - A ** | 9/16 | 2 | 500 |
| CPC16D 9/16 - Plug | CP16- Cap - B | | 3 | |
| CPC16D 9/16 - Plug | CP16- Cap - C | | 4.37 | |
| CPC16D 5/8 - Plug | CP16- Cap - A ** | 5/8 | 2.37 | 500 |
| CPC16D 5/8 - Plug | CP16- Cap - B | | 3.12 | |
| CPC16D 5/8 - Plug | CP16- Cap - C | | 4.37 | |
| CPC20D3/4 - Plug | CP20- Cap - A ** | 3/4 | 3 | 500 |
| CPC20D3/4 - Plug | CP20- Cap - B | | 4.75 | |
| CPC20D3/4 - Plug | CP20- Cap - C | | 5.12 | |

** Available with Flat Cap

Center Pack Collet (CPC)



Product Lines - for Flat Cap

| Description | | Millimeters | | Carton Quantity |
|-----------------|-------------|----------------------|------------------|-----------------|
| Plug | Flat Cap | Inner Shank Diameter | Tool Max. Length | |
| CPC6D2.5 - Plug | CPF6-Cap-A | 2.5 | 50 | 1,000 |
| CPC6D2.5 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D2.5 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D2.5 - Plug | CPF6-Cap-D | | 104 | |
| CPC6D3 - Plug | CPF6-Cap-A | 3 | 50 | 1,000 |
| CPC6D3 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D3 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D3 - Plug | CPF6-Cap-D | | 104 | |
| CPC6D4 - Plug | CPF6-Cap-A | 4 | 50 | 1,000 |
| CPC6D4 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D4 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D4 - Plug | CPF6-Cap-D | | 104 | |
| CPC6D5 - Plug | CPF6-Cap-A | 5 | 50 | 1,000 |
| CPC6D5 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D5 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D5 - Plug | CPF6-Cap-D | | 104 | |
| CPC6D6 - Plug | CPF6-Cap-A | 6 | 50 | 1,000 |
| CPC6D6 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D6 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D6 - Plug | CPF6-Cap-D | | 104 | |
| CPC6D7 - Plug | CPF6-Cap-A | 7 | 50 | 1,000 |
| CPC6D7 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D7 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D7 - Plug | CPF6-Cap-D | | 104 | |
| CPC6D8 - Plug | CPF6-Cap-A | 8 | 50 | 1,000 |
| CPC6D8 - Plug | CPF6-Cap-B | | 60 | |
| CPC6D8 - Plug | CPF6-Cap-C | | 76 | |
| CPC6D8 - Plug | CPF6-Cap-D | | 104 | |
| CPC12D8 - Plug | CPF12-Cap-A | 8 | 66 | 500 |
| CPC12D8 - Plug | CPF12-Cap-B | | 84 | |
| CPC12D8 - Plug | CPF12-Cap-C | | 108 | |
| CPC12D10 - Plug | CPF12-Cap-A | 10 | 66 | 500 |
| CPC12D10 - Plug | CPF12-Cap-B | | 84 | |
| CPC12D10 - Plug | CPF12-Cap-C | | 108 | |
| CPC12D12 - Plug | CPF12-Cap-A | 12 | 66 | 500 |
| CPC12D12 - Plug | CPF12-Cap-B | | 84 | |
| CPC12D12 - Plug | CPF12-Cap-C | | 108 | |

** Available with Flat Cap

[table continues >](#)

Center Pack Collet (CPC)



< table continued

| Description | | Inches | | Carton Quantity |
|--------------------|-------------|----------------------|------------------|-----------------|
| Plug | Flat Cap | Inner Shank Diameter | Tool Max. Length | |
| CPC6D 1/8 - Plug | CPF6-Cap-A | 1/8 | 1.97 | 1,000 |
| CPC6D 1/8 - Plug | CPF6-Cap-B | | 2.36 | |
| CPC6D 1/8 - Plug | CPF6-Cap-C | | 2.99 | |
| CPC6D 1/8 - Plug | CPF6-Cap-D | | 4.09 | |
| CPC6D 3/16 - Plug | CPF6-Cap-A | 3/16 | 1.97 | 1,000 |
| CPC6D 3/16 - Plug | CPF6-Cap-B | | 2.36 | |
| CPC6D 3/16 - Plug | CPF6-Cap-C | | 2.99 | |
| CPC6D 3/16 - Plug | CPF6-Cap-D | | 4.09 | |
| CPC6D 1/4 - Plug | CPF6-Cap-A | 1/4 | 1.97 | 1,000 |
| CPC6D 1/4 - Plug | CPF6-Cap-B | | 2.36 | |
| CPC6D 1/4 - Plug | CPF6-Cap-C | | 2.99 | |
| CPC6D 1/4 - Plug | CPF6-Cap-D | | 4.09 | |
| CPC6D 5/16 - Plug | CPF6-Cap-A | 5/16 | 1.97 | 1,000 |
| CPC6D 5/16 - Plug | CPF6-Cap-B | | 2.36 | |
| CPC6D 5/16 - Plug | CPF6-Cap-C | | 2.99 | |
| CPC6D 5/16 - Plug | CPF6-Cap-D | | 4.09 | |
| CPC12D 3/8 - Plug | CPF12-Cap-A | 3/8 | 2.60 | 500 |
| CPC12D 3/8 - Plug | CPF12-Cap-B | | 3.31 | |
| CPC12D 3/8 - Plug | CPF12-Cap-C | | 4.25 | |
| CPC12D 7/16 - Plug | CPF12-Cap-A | 7/16 | 2.60 | 500 |
| CPC12D 7/16 - Plug | CPF12-Cap-B | | 3.31 | |
| CPC12D 7/16 - Plug | CPF12-Cap-C | | 4.25 | |
| CPC12D 1/2 - Plug | CPF12-Cap-A | 1/2 | 2.60 | 500 |
| CPC12D 1/2 - Plug | CPF12-Cap-B | | 3.31 | |
| CPC12D 1/2 - Plug | CPF12-Cap-C | | 4.25 | |

Micro Center Pack (MCP)



High- quality plastic packaging with shank locking for micro tools .

Features & Benefits

- > Unique packaging for micro tools
- > Provides optimum protection for delicate tools
- > Easy positioning of the tool
- > Comfort and easy-loading and unloading
- > Tight fit of tool provided by shank clamping device in the back part
- > Option using the same CAP as CP/CPC and/or flat cap
- > Sturdy, oil and moisture resistant
- > PCR and/or recyclable material
- > Environmentally friendly



Product Lines - for Regular Cap

| Description | | Millimeters | | Carton Quantity |
|------------------|-------------|----------------|------------------|-----------------|
| Plug | Regular Cap | Shank Diameter | Tool Max. Length | |
| MCP60D3-Plug-B | CP6-CAP-B | 3 | 60 | 500 |
| MCP100D3-Plug- D | CP6-CAP-D | | 100 | |
| MCP60D4-Plug-B | CP6-CAP-B | 4 | 60 | 500 |
| MCP100D4-Plug- D | CP6-CAP-D | | 100 | |
| MCP60D6-Plug-B | CP6-CAP-B | 6 | 60 | 500 |
| MCP100D6-Plug- D | CP6-CAP-D | | 100 | |

| Description | | Inches | | Carton Quantity |
|---------------------|-------------|----------------|------------------|-----------------|
| Plug | Regular Cap | Shank Diameter | Tool Max. Length | |
| MCP60D1/8-Plug-B | CP6-CAP-B | 1/8 | 2.36 | 500 |
| MCP100D1/8-Plug- D | CP6-CAP-D | | 3.94 | |
| MCP 60D3/16-Plug-B | CP6-CAP-B | 3/16 | 2.36 | 500 |
| MCP 100D3/16-Plug-D | CP6-CAP-D | | 3.94 | |
| MCP 60D1/4-Plug-B | CP6-CAP-B | 1/4 | 2.36 | 500 |
| MCP 100D1/4-Plug-D | CP6-CAP-D | | 3.94 | |

Micro Center Pack (MCP)



Product Lines - for Flat Cap

| Description | | Millimeters | | Carton Quantity |
|------------------|------------|----------------|------------------|-----------------|
| Plug | Flat Cap | Shank Diameter | Tool Max. Length | |
| MCP60D3-Plug-B | CPF6-Cap-B | 3 | 60 | 500 |
| MCP100D3-Plug- D | CPF6-Cap-D | | 100 | |
| MCP60D4-Plug-B | CPF6-Cap-B | 4 | 60 | 500 |
| MCP100D4-Plug- D | CPF6-Cap-D | | 100 | |
| MCP60D6-Plug-B | CPF6-Cap-B | 6 | 60 | 500 |
| MCP100D6-Plug- D | CPF6-Cap-D | | 100 | |

| Description | | Inches | | Carton Quantity |
|---------------------|------------|----------------|------------------|-----------------|
| Plug | Flat Cap | Shank Diameter | Tool Max. Length | |
| MCP60D1/8-Plug-B | CPF6-Cap-B | 1/8 | 2.36 | 500 |
| MCP100D1/8-Plug- D | CPF6-Cap-D | | 3.94 | |
| MCP 60D3/16-Plug-B | CPF6-Cap-B | 3/16 | 2.36 | 500 |
| MCP 100D3/16-Plug-D | CPF6-Cap-D | | 3.94 | |
| MCP 60D1/4-Plug-B | CPF6-Cap-B | 1/4 | 2.36 | 500 |
| MCP 100D1/4-Plug-D | CPF6-Cap-D | | 3.94 | |

Bayo Pack (BP)



Bayo Pack is a round tube, based on a bayonet closing and opening. There are 2 locks for extra protection. The line is designed for variable lengths with ratchet mechanism.

Features & Benefits

- > Bayonet system for quick opening and closing
- > Safe lock
- > Telescopic structure for variety of lengths
- > Ergonomic design
- > Environmentally friendly



Product Lines

| Description | Millimeters | | | Inches | | | Sets Quantity* |
|------------------|----------------|------------------|------------------|----------------|------------------|------------------|----------------|
| | Inner Diameter | Tool Min. Length | Tool Max. Length | Inner Diameter | Tool Min. Length | Tool Max. Length | |
| BP 35 x 80/100 | 35 | 80 | 100 | 1 3/8 | 3.12 | 4 | 360 |
| BP 35 x 120/180 | 35 | 120 | 180 | 1 3/8 | 4.75 | 7.12 | 240 |
| BP 35 x 200/350 | 35 | 200 | 350 | 1 3/8 | 7.87 | 13.75 | 224 |
| BP 45 x 80/100 | 45 | 80 | 100 | 1 3/4 | 3.12 | 4 | 402 |
| BP 45 x 120/180 | 45 | 120 | 180 | 1 3/4 | 4.75 | 7.12 | 268 |
| BP 45 x 200/350 | 45 | 200 | 350 | 1 3/4 | 7.87 | 13.75 | 134 |
| BP 55 x 80/100 | 55 | 80 | 100 | 2 1/8 | 3.12 | 4 | 288 |
| BP 55 x 120/180 | 55 | 120 | 180 | 2 1/8 | 4.75 | 7.12 | 192 |
| BP 55 x 200/350 | 55 | 200 | 350 | 2 1/8 | 7.87 | 13.75 | 96 |
| BP 65 x 80/100 | 65 | 80 | 100 | 2 1/2 | 3.12 | 4 | 216 |
| BP 65 x 120/180 | 65 | 120 | 180 | 2 1/2 | 4.75 | 7.12 | 144 |
| BP 65 x 200/350 | 65 | 200 | 350 | 2 1/2 | 7.87 | 13.75 | 72 |
| BP 75 x 120/180 | 75 | 120 | 180 | 2 15/16 | 4.75 | 7.12 | 100 |
| BP 85 x 80/100 | 85 | 80 | 100 | 3 1/4 | 3.12 | 4 | 120 |
| BP 85 x 120/180 | 85 | 120 | 180 | 3 1/4 | 4.75 | 7.12 | 80 |
| BP 85 x 200/350 | 85 | 200 | 350 | 3 1/4 | 7.87 | 13.75 | 40 |
| BP 105 x 80/100 | 105 | 80 | 100 | 4 1/8 | 3.12 | 4 | 78 |
| BP 105 x 120/180 | 105 | 120 | 180 | 4 1/8 | 4.75 | 7.12 | 52 |
| BP 105 x 170/230 | 105 | 165 | 229 | 4 1/8 | 6.5 | 9 | 40 |
| BP 105 x 200/350 | 105 | 200 | 350 | 4 1/8 | 7.87 | 13.75 | 26 |
| BP 105 x 350/620 | 105 | 350 | 620 | 4 1/8 | 13.75 | 24.37 | 17 |
| BP 125 x 80/100 | 125 | 80 | 100 | 5 | 3.12 | 4 | 48 |
| BP 125 x 120/180 | 125 | 120 | 180 | 5 | 4.75 | 7.12 | 32 |
| BP 125 x 200/350 | 125 | 200 | 350 | 5 | 7.87 | 13.75 | 16 |

* Set includes an inner part and an outer part, either separated to 2 boxes or assembled as set

Bayo Pack SK (BPSK)



Plasel Bayo Pack SK packaging sets a new benchmark in tool holder protection.

This packaging solution offers unparalleled protection against impacts, shocks, and vibrations that can potentially damage your valuable tool holders. In addition to the bayonet-friendly opening and closing mechanism, there are 2 lockers for extra protection.

Features & Benefits

- > Optimal tool protection
- > Bayonet system for quick opening and closing
- > 2 extra locks for additional safety
- > Ratchet mechanism for variety of lengths
- > Durable and reusable
- > Ergonomic design
- > Sturdy, oil and moisture resistant
- > Environmentally friendly
- > PCR and/or recyclable material



Product Lines

| Description | | Millimeters | | | Inches | | | Sets Quantity* |
|----------------------|-------|----------------|------------------|------------------|----------------|------------------|------------------|----------------|
| | | Inner Diameter | Tool Min. Length | Tool Max. Length | Inner Diameter | Tool Min. Length | Tool Max. Length | |
| BPSK 30-XS | Inner | | | | CAT 30 | | | 288 |
| BP 55 x 80/100 OUT | Outer | SK-30 | 68 | 104 | CAT 30 | 2.67 | 4.09 | 288 |
| BP 55 x 120/180 OUT | Outer | SK-30 | 109 | 145 | CAT 30 | 4.29 | 5.74 | 192 |
| BP 55 x 200/350 OUT | Outer | SK-30 | 224 | 288 | CAT 30 | 8.81 | 11.33 | 96 |
| BPSK 30-S | Inner | SK-30 | | | CAT 30 | | | 192 |
| BP 55 x 120/180 OUT | Outer | SK-30 | 109 | 181 | CAT 30 | 4.29 | 7.12 | 192 |
| BP 55 x 200/350 OUT | Outer | SK-30 | 189 | 261 | CAT 30 | 7.44 | 10.27 | 96 |
| BPSK 40-S | Inner | SK-40 | | | CAT 40 | | | 144 |
| BP 65 x 120/180 OUT | Outer | SK-40 | 110 | 179 | CAT 40 | 4.33 | 7.04 | 144 |
| BP 65 x 200/350 OUT | Outer | SK-40 | 187 | 236 | CAT 40 | 7.36 | 10.07 | 72 |
| BPSK 50-S | Inner | SK-50 | | | CAT 50 | | | 26 |
| BP 105 x 120/180 OUT | Outer | SK-50 | 125 | 201 | CAT 50 | 4.92 | 7.91 | 52 |
| BP 105 x 200/350 OUT | Outer | SK-50 | 185 | 281 | CAT 50 | 7.28 | 11.06 | 26 |
| BPSK 50-L | Inner | SK-50 | | | CAT 50 | | | 26 |
| BP 105 x 120/180 OUT | Outer | SK-50 | 180 | 245 | CAT 50 | 7.08 | 9.64 | 52 |
| BP 105 x 200/350 OUT | Outer | SK-50 | 185 | 325 | CAT 50 | 7.28 | 12.79 | 26 |
| BP 105 x 350/620 OUT | Outer | SK-50 | 335 | 475 | CAT 50 | 13.18 | 18.70 | 17 |

* Set includes an inner part and an outer part, either separated to 2 boxes or assembled as set

Bayo Pack Spare Parts (BPSP)



Spare Parts Compartment

With the BPSP line, we offer an optional dedicated spare parts compartment. This additional feature allows you to conveniently store essential spare parts, such as screws, nuts, and washers, alongside your tool holders. With everything in one place, you can easily access and maintain your tools, streamlining your workflow and saving valuable time.



Product Lines - Spare Parts

| Description | | Millimeters | | Carton Quantity* |
|----------------|--------------------|-----------------|-------------------|------------------|
| Item | BP Description | Internal Height | Internal Diameter | |
| BPSP 55-30 | | 30 | | TBA |
| BPSP 55-60 | for BP 55/BPSK 30 | 60 | 55 | TBA |
| BPSP 55-90 | | 90 | | TBA |
| BPSP 65-30 | | 30 | | 168 |
| BPSP 65-60 | for BP 65/BPSK 40 | 60 | 65 | 96 |
| BPSP 65-90 | | 90 | | 48 |
| BPSP 105-30 | | 30 | | TBA |
| BPSP 105-60 | for BP 105/BPSK 50 | 60 | 105 | TBA |
| BPSP 105-30-90 | | 90 | | TBA |

New Tool Pack (NTP)



New Tool Pack is a square plastic packaging tube with slight rotation closing/opening and variable lengths adjustment.

Features & Benefits

- > Highly secure packaging
- > Slight turn to open and close
- > Minimal force is required in opening and closing the packaging
- > Ratchet length adjustment for variable lengths
- > Strong, durable and resistant to oil and moisture
- > Excellent for stacking
- > Ergonomic design to support the packaging process
- > Environmentally friendly
- > PCR and/or recyclable material



Product Lines

| Description | Millimeters | | | Inches | | | Sets Quantity* |
|------------------|----------------------|------------------|------------------|----------------------|------------------|------------------|----------------|
| | Inner Shank Diameter | Tool Min. Length | Tool Max. Length | Inner Shank Diameter | Tool Min. Length | Tool Max. Length | |
| NTP 20 x 80/120 | 20 | 80 | 120 | 3/4 | 3.14 | 4.72 | 500 |
| NTP 20 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 650 |
| NTP 20 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 430 |
| NTP 24 x 80/120 | 24 | 80 | 120 | 13/16 | 3.14 | 4.72 | 500 |
| NTP 24 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 650 |
| NTP 24 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 430 |
| NTP 26 x 80/120 | 26 | 80 | 120 | 1 | 3.14 | 4.72 | 450 |
| NTP 26 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 500 |
| NTP 26 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 370 |
| NTP 32 x 80/120 | 32 | 80 | 120 | 1 1/4 | 3.14 | 4.72 | 300 |
| NTP 32 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 400 |
| NTP 32 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 250 |
| NTP 35 x 80/120 | 35 | 80 | 120 | 1 1/8 | 3.14 | 4.72 | 250 |
| NTP 35 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 390 |
| NTP 35 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 230 |
| NTP 45 x 80/120 | 45 | 80 | 120 | 1 3/4 | 3.14 | 4.72 | 420 |
| NTP 45 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 270 |
| NTP 45 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 140 |
| NTP 55 x 80/120 | 55 | 80 | 120 | 2 1/8 | 3.14 | 4.72 | 310 |
| NTP 55 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 210 |
| NTP 55 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 120 |
| NTP 65 x 80/120 | 65 | 80 | 120 | 2 1/2 | 3.14 | 4.72 | 210 |
| NTP 65 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 140 |
| NTP 65 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 70 |

* Set includes an inner part and an outer part, either separated to 2 boxes or assembled as set

Insert Box (IB)



Insert Boxes are packaging boxes for carbide inserts with a wide range of cell compartment sizes and shapes. The insert boxes have a user-friendly lid closure by sliding and/or pushing. The boxes are stacked one on top of the other to enable efficient shipping and storage.

Features & Benefits

- > Wide range of cell compartment sizes and shapes
- > Designed for automatic loading
- > Stacking feature
- > Lids can be slid in or snapped in
- > Automation friendly
- > Environmentally friendly
- > PCR and/or recyclable material



Product Lines





| Product Illustration | Millimeters | Number of Cells | Lid Size | Carton Quantity |
|----------------------|-------------------------------------|-----------------|----------|-----------------|
| | Description / Cell Size (L x W x D) | | | |
| | IB-46.0 x 15.0 x 5.2 - 2 | 2 | IB-LID-S | 700 |
| | IB-47.0 x 37.0 x 6.6 - 2 | 2 | IB-Lid-A | 500 |
| | IB-67.2 x 53.2 x 12.8 - 2 | | IB-Lid-B | |
| | IB-47.0 x 37.0 x 10.2 - 2B | 2 | IB-Lid-A | 500 |
| | IB-67.2 x 53.2 x 12.8 - 2B | | IB-Lid-B | |
| | IB-18.1 x 18.5 x 6.6 - 5C | 5 | IB-Lid-A | 500 |
| | IB-26.2 x 26.2 x 8.2 - 5C | | IB-Lid-B | |
| | IB-26.2 x 26.2 x 12.8 - 5C | | IB-Lid-B | |
| | IB-26.2 x 53.2 x 8.2 - 5W | 5 | IB-Lid-B | 500 |
| | IB-26.2 x 53.2 x 12.8 - 5W | | IB-Lid-B | |
| | IB-26.2 x 53.2 x 14.0 - 5W | | IB-Lid-B | 250 |
| | IB-26.2 x 53.2 x 19.0 - 5W | | IB-Lid-B | |
| | IB-17.7 x 61.0 x 13.5 - 5W | | IB-Lid-C | |
| | IB-30.5 x 30.5 x 13.5 - 5 | 5 | IB-Lid-C | 500 |
| | IB-35.0 x 35.0 x 10.5 - 5 | | IB-Lid-D | |
| | IB-35.0 x 35.0 x 13.5 - 5 | | IB-Lid-D | 250 |
| | IB-35.0 x 35.0 x 25.0 - 5 | | IB-Lid-D | |
| | IB-30.0 x 24.2 x 6.6 - 5P | 5 | IB-Lid-A | 500 |
| | IB-43.2 x 37.1 x 8.2 - 5P | | IB-Lid-B | |
| | IB-35.0 x 35.0 x 25.0 - 6 | 6 | IB-Lid-D | 250 |

table continues >

Insert Box (IB)



< table continued

| Product Illustration | Millimeters | Number of Cells | Lid Size | Carton Quantity | |
|---|-------------------------------------|-----------------|----------|-----------------|-----|
| | Description / Cell Size (L x W x D) | | | | |
|  | IB-15.1 x 53.0 x 19.0 - 8W | 8 | IB-Lid-B | 250 | |
| | IB-12.3 x 53.0 x 12.80 - 10W | 10 | IB-Lid-B | | |
|  | IB-10.8 x 12.7 x 5.2 - 10 | 10 | IB-Lid-S | 700 | |
| | IB-12.0 x 12.0 x 6.6 - 10 | 10 | IB-Lid-A | | |
| | IB-18.5 x 18.5 x 6.6 - 10 | 10 | IB-Lid-A | | |
| | IB-26.2 x 26.2 x 8.2 - 10 | 10 | IB-Lid-B | 500 | |
| | IB-18.4 x 18.0 x 10.0 - 10 | 10 | IB-Lid-A | | |
| | IB-26.2 x 26.2 x 12.8 - 10 | 10 | IB-Lid-B | | |
| | IB-17.7 x 30.2 x 13.5 - 10 | 10 | IB-Lid-C | | |
| | IB-26.2 x 26.2 x 14.0 - 10 | 10 | IB-Lid-B | | |
| | IB-26.2 x 26.2 x 19.0 - 10 | 10 | IB-Lid-B | | 250 |
| | IB-26.2 x 26.2 x 26.0 - 10 | 10 | IB-Lid-B | | 250 |
|  | IB-12.0 x 34.0 x 8.2 - 10W | 10 | IB-Lid-B | 500 | |
|  | IB-10.2 x 26.0 x 6.6 - 10D | 10 | IB-Lid-A | 500 | |

Foam Insert Box (IBF)



Foam Insert Boxes are packaging boxes with foams for extra delicate PCD and CBN tipped carbide inserts. The additional foam provides extra protection for the inserts' sharp or delicate cutting edges with a wide range of cell compartment sizes and shapes. The foam insert boxes have a user-friendly lid closure by sliding and/or pushing. The boxes are stacked one on top of the other to enable efficient shipping and storage.

Features & Benefits

- > Extra protection for delicate inserts
- > Wide range of cell compartment sizes and shapes
- > Ability for custom design
- > Stacking feature
- > Lids can be slid in or snapped in
- > Automation Friendly
- > Environmentally friendly
- > PCR and/or recyclable material



Product Lines

| Product Illustration | Millimeters | Number of Cells | Lid Size | Carton Quantity |
|----------------------|-------------------------------------|-----------------|----------|-----------------|
| | Description / Cell Size (L x W x D) | | | |
| | IB-60.0 x 30.0 x 5.2 - 1 | 1 | IB-LID-S | 700 |
| | IB-38.0 x 96.0 x 6.6 - 1 | | IB-LID-A | 500 |
| | IB-53.0 x 135.0 x 8.2 - 1 | | IB-LID-B | |
| | IB-62.0 x 93.7 x 13.5 - 1 | | IB-Lid-C | |
| | IBF-16.0 x 16.0 x 5.0 - 1 | 1 | IB-Lid-A | 500 |
| | IBF-38.0 x 96.0 x 5.0 - 1 | 1 | IB-Lid-A | 500 |
| | IBF-20.0 x 20.0 x 6.0 | 2 | IB-Lid-A | 500 |
| | IBF-19.0 x 19.0 x 6.0 - 5 | 5 | IB-Lid-B | 500 |
| | IBF-10.0 x 35.0 x 6.0 - 5 | 5 | IB-Lid-B | 500 |
| | IBF-23.0 x 35.0 x 6.0 - 5 | 5 | IB-Lid-B | 500 |
| | IBF-19.0 x 19.0 x 8.0 - 5 | 5 | IB-Lid-C | 500 |
| | IBF-18.5 x 45.0 x 12.8 - 5W | 5 | IB-Lid-B | 500 |
| | IBF-15.0 x 25.0 x 13.0 - 5W | 10 | IB-Lid-B | 500 |
| | IBF-13.0 x 13.0 x 5.0 - 10 | 10 | IB-Lid-A | 500 |
| | IBF-10.0 x 45.0 x 6.0 - 10 | 10 | IB-Lid-B | 500 |
| | IBF-19.0 x 19.0 x 6.0 - 10 | 10 | IB-Lid-B | 500 |

Universal Multi Box (UMB)



Universal Multi Boxes are high-quality packaging boxes for carbide inserts, components, screws, jewelry making, hobby products, etc. Universal Multi Box is designed to provide extra protection of valuable inserts during the transportation of the item. The lid is wrapped around the box to keep the box closed at all times. In addition, to its unique design, the box offers enhanced protection, making the UMB line the pinnacle of professional insert packaging.

Features & Benefits

- > Best protection of the inserts
- > Latch to ensure that the package will not open
- > Lid wrapped the box
- > Closes by pushing the lid toward the latch
- > Functional and user-friendly
- > Environmentally friendly
- > PCR and / or recyclable material



Product Lines

| Millimeters | | | |
|-------------------------------------|-----------------|-----------|-----------------|
| Description / Cell Size (L x W x D) | Number of Cells | Lid Size | Carton Quantity |
| UMB-18.5 x 18.5 x 6.6-10 | 10 | UMB-Lid-A | 740 / 1,480 |
| UMB-26.2 x 26.2 x 8.2-10 | 10 | UMB-Lid-B | 400 |
| UMB-26.3 x 21.8 x 8.2-12 | 12 | UMB-Lid-B | 400 |
| UMB-35.0 x 35.0 x 10.5-5 | 5 | UMB-Lid-D | 480 |

Versa Box (VB)



Versa Boxes are individual packaging for high-quality tools, inserts, and special parts. The unique design of the Versa box offers extra protection, as well as excellent locking and stacking options. The boxes can be plain and/or with centralized pins and/or diagonal dividers.

Features & Benefits

- > Special locking system for extra safety
- > Excellent stacking
- > Convenient storage
- > Custom foam available
- > Custom internal designs
- > Environmentally friendly
- > PCR and/or recyclable material



Product Lines

| Description | Dimensions | | Number of Cells | Carton Quantity |
|-----------------------|--------------|--------------------------|-----------------|-----------------|
| | Millimeters | Inches | | |
| VB 35 x 35 x 8 | 35 x 35 x 8 | 1 3/8 x 1 3/8 x 5/16 | 1 | 500 |
| VB 35 x 35 x 8 + PIN | 35 x 35 x 8 | 1 3/8 x 1 3/8 x 5/16 | 1 central pin | |
| VB 35 x 35 x 8-2D | Ø 20 x 8 | Ø 25/32 x 5/16 | 2 | |
| VB 35 x 35 x 12 | 35 x 35 x 12 | 1 3/8 x 1 3/8 x 5/32 | 1 | 500 |
| VB 35 x 35 x 12 + PIN | 35 x 35 x 12 | 1 3/8 x 1 3/8 x 5/32 | 1 central pin | |
| VB 35 x 35 x 12-2D | Ø 21.9 x 12 | Ø 55/64 x 15/32 | 2 | |
| VB 47 x 47 x 8 | 47 x 47 x 8 | 1 13/16 x 1 13/16 x 5/16 | 1 | 500 |
| VB 47 x 47 x 8 + PIN | 47 x 47 x 8 | 1 13/16 x 1 13/16 x 5/16 | 1 central pin | |
| VB 47 x 47 x 19 | 47 x 47 x 19 | 1 13/16 x 1 13/16 x 3/4 | 1 | |
| VB 47 x 47 x 19 + PIN | 47 x 47 x 19 | 1 13/16 x 1 13/16 x 3/4 | 1 central pin | 500 |
| VB 47 x 47 x 19-2D | Ø 28.9 x 19 | Ø 1 9/64 x 3/4 | 2 | |
| VB 67 x 67 x 12 | 67 x 67 x 12 | 2 5/8 x 2 5/8 x 15/32 | 1 | 300 |
| VB 67 x 67 x 12 + PIN | 67 x 67 x 12 | 2 5/8 x 2 5/8 x 15/32 | 1 central pin | |
| VB 67 x 67 x 26 | 67 x 67 x 26 | 2 5/8 x 2 5/8 x 1 | 1 | 150 |
| VB 67 x 67 x 26 + PIN | 67 x 67 x 26 | 2 5/8 x 2 5/8 x 1 | 1 central pin | |
| VB 67 x 67 x 26-2D | Ø 40.4 x 26 | Ø 1 19/32 x 1 | 2 | |

Flip Pack (FP)



High-quality plastic packaging featuring a 5 or 10-compartment system, a double locking mechanism, and detachable units for various round tools

Features & Benefits

- > Versatile packaging combination
- > Single unit with multiple packaging
- > User-friendly and efficient detachable units
- > 5 or 10 unit packaging
- > Nesting feature for space saving
- > Concaved base for tool centering for laser etching in package
- > One piece, two colors
- > Double locking system
- > Excellent sealing
- > Environmentally friendly
- > PCR and/or recyclable material



Product Lines

| Description | Millimeters | | Inches | | Number of Cells | Carton Quantity |
|------------------|------------------|------------------|------------------|------------------|-----------------|-----------------|
| | Tool Min. Length | Tool Max. Length | Tool Min. Length | Tool Max. Length | | |
| FP 6 x 42 | 6 | 42 | ¼ | 1.65 | A - 5 B - 10 | A-300 / B-150 |
| FP 6 x 42 + clip | 3 | 42 | ⅛ | 1.65 | | A-240 / B-120 |
| FP 6 x 55 | 6 | 55 | ¼ | 2.17 | | A-240 / B-120 |
| FP 6 x 55 + clip | 4 | 55 | ⅝ ₃₂ | 2.17 | | A-160 / B-80 |
| FP 6 x 75 | 6 | 75 | ¼ | 2.95 | | A-600 / B-260 |
| FP 6 x 75 + clip | 3 | 75 | ⅛ | 2.95 | | A-400 / B-200 |
| FP 6 x 85 | 6 | 85 | ¼ | 3.35 | | A-500 / B-240 |
| FP 10 x 68 | 10 | 68 | ⅜ | 2.68 | A - 5 B - 10 | A-370 / B-150 |
| FP 10 x 85 | | 85 | | 3.35 | | A-300 / B-150 |
| FP 10 x 105 | | 105 | | 4.13 | | A-240 / B-120 |
| FP 13 x 91 | 13 | 91 | ½ | 3.58 | 5 | 185 |
| FP 13 x 112 | | 112 | | 4.41 | | 160 |
| FP 16 x 91 | 16 | 91 | ⅝ | 3.58 | 5 | 120 |
| FP 16 x 112 | | 112 | | 4.41 | | 100 |

Tool Pack (TP)



High-quality square plastic packaging with ratchet length adjustment.

Features & Benefits

- > Variable diameters and lengths
- > Efficient packaging
- > Adjustment via ratchet feature
- > Ergonomic design
- > Excellent for stacking and storage
- > Durable and reusable
- > Strong, and resistant to oil and moisture
- > PCR and/or recyclable material
- > Environmentally friendly



Product Lines

| Description | Millimeters | | | Inches | | | Carton Quantity |
|-----------------|----------------------|------------------|------------------|----------------------|------------------|------------------|-----------------|
| | Inner Shank Diameter | Tool Min. Length | Tool Max. Length | Inner Shank Diameter | Tool Min. Length | Tool Max. Length | |
| TP 8 x 50/80 | 8 | 50 | 80 | 5/16 | 1.96 | 3.14 | 1,200 |
| TP 8 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 1,000 |
| TP 10 x 50/80 | 10 | 50 | 80 | 25/64 | 1.96 | 3.14 | 1,500 |
| TP 10 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 1,500 |
| TP 10 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 1,300 |
| TP 10 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 1,250 |
| TP 11 x 50/80 | 11 | 50 | 80 | 7/16 | 1.96 | 3.14 | 1,000 |
| TP 12 x 50/80 | 12 | 50 | 80 | 15/32 | 1.96 | 3.14 | 1,250 |
| TP 12 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 1,700 |
| TP 12 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 1,000 |
| TP 12 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 900 |
| TP 14 x 50/80 | 14 | 50 | 80 | 9/16 | 1.96 | 3.14 | 1,000 |
| TP 14 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 1,300 |
| TP 14 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 800 |
| TP 14 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 700 |
| TP 16 x 50/80 | 16 | 50 | 80 | 5/8 | 1.96 | 3.14 | 1,000 |
| TP 16 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 1,000 |
| TP 16 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 600 |
| TP 16 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 350 |
| TP 18 x 80/120 | 18 | 80 | 120 | 11/16 | 3.14 | 4.72 | 850 |
| TP 18 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 500 |
| TP 18 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 450 |

table continues >

Tool Pack (TP)



< table continued

| Description | Millimeters | | | Inches | | | Carton Quantity |
|-----------------|----------------------|------------------|------------------|----------------------|------------------|------------------|-----------------|
| | Inner Shank Diameter | Tool Min. Length | Tool Max. Length | Inner Shank Diameter | Tool Min. Length | Tool Max. Length | |
| TP 20 x 50/80 | 20** | 50 | 80 | 3/4 | 1.96 | 3.14 | 1,000 |
| TP 20 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 700 |
| TP 20 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 850 |
| TP 20 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 500 |
| TP 22 x 80/120 | 22** | 80 | 120 | 13/16 | 3.14 | 4.72 | 650 |
| TP 22 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 800 |
| TP 22 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 400 |
| TP 24 x 50/80 | 24 | 50 | 80 | 15/16 | 1.96 | 3.14 | 900 |
| TP 24 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 450 |
| TP 24 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 650 |
| TP 24 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 600 |
| TP 26 x 80/120 | 26** | 80 | 120 | 1 | 3.14 | 4.72 | 450 |
| TP 26 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 600 |
| TP 26 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 500 |
| TP 26 x 350/620 | | 350 | 620 | | 13.77 | 24.4 | 300 |
| TP 32 x 60/80 | 32** | 60 | 80 | 1 1/4 | 2.36 | 3.14 | 500 |
| TP 32 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 300 |
| TP 32 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 400 |
| TP 32 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 350 |
| TP 32 x 350/620 | | 350 | 620 | | 13.77 | 24.4 | 196 |
| TP 35 x 80/120 | 35 | 80 | 120 | 1 3/8 | 3.14 | 4.72 | 250 |
| TP 35 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 540 |
| TP 35 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 300 |
| TP 45 x 60/80 | 45** | 60 | 80 | 1 3/4 | 2.36 | 3.14 | 500 |
| TP 45 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 410 |
| TP 45 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 300 |
| TP 45 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 180 |
| TP 45 x 350/620 | | 350 | 620 | | 13.77 | 24.4 | 110 |
| TP 55 x 60/80 | 55** | 60 | 80 | 2 1/8 | 2.36 | 3.14 | 350 |
| TP 55 x 80/120 | | 80 | 120 | | 3.14 | 4.72 | 250 |
| TP 55 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 200 |
| TP 55 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 120 |
| TP 55 x 350/620 | | 350 | 620 | | 13.77 | 24.4 | 72 |
| TP 65 x 80/120 | 65** | 80 | 120 | 2 1/2 | 3.14 | 4.72 | 220 |
| TP 65 x 120/200 | | 120 | 200 | | 4.72 | 7.87 | 140 |
| TP 65 x 200/350 | | 200 | 350 | | 7.87 | 13.77 | 90 |
| TP 65 x 350/620 | | 350 | 620 | | 13.77 | 24.4 | 55 |

** Available Tool Pack with centralizer cone.

Round Tube (RT)



High-quality round plastic packaging tubes in fixed length with secure plug closure.

Features & Benefits

- > Available in different diameters and lengths
- > Sturdy packaging tube with secure plug closure
- > Durable and re-usable
- > Strong and firm structure
- > Tubes are one piece injection molded construction
- > Environmentally friendly



Product Lines - Cap + Tube

| Description | | Millimeters | | Inches | | Carton Quantity Cap | Carton Quantity Tube |
|----------------|-----------------|----------------------|------------------|----------------------|------------------|---------------------|----------------------|
| Cap | Tube | Inner Shank Diameter | Tool Max. Length | Inner Shank Diameter | Tool Max. Length | | |
| RT-6 / 1/4 | RT 1/4" x 2" | 6 | 50 | 1/4 | 2 | 10,000 | 10,000 |
| | RT 1/4" x 2.5" | | 63 | | 2.5 | 10,000 | 10,000 |
| | RT 1/4" x 3" | | 76 | | 3 | 10,000 | 10,000 |
| | RT 1/4" x 4" | | 101 | | 4 | 10,000 | 2,000 |
| | RT 1/4" x 6" | | 152 | | 6 | 10,000 | 2,400 |
| RT-8 / 5/16 | RT 5/16" x 2.5" | 8 | 63 | 5/16 | 2.5 | 7,000 | 7,000 |
| | RT 5/16" x 4" | | 101 | | 4.0 | 7,000 | 4,500 |
| RT-9 1/2 / 3/8 | RT 3/8" x 3" | 9 1/2 | 76 | 3/8 | 3 | 5,000 | 5,000 |
| | RT 3/8" x 4" | | 101 | | 4 | 5,000 | 1,350 |
| | RT 3/8" x 6" | | 152 | | 6 | 5,000 | 1,500 |
| RT-13 / 1/2 | RT 1/2" x 3" | 13 | 76 | 1/2 | 3 | 5,000 | 5,000 |
| | RT 1/2" x 4" | | 101 | | 4 | 5,000 | 750 |
| | | | 120 | | 4.75 | 5,000 | 1,200 |
| | RT 1/2" x 6" | | 152 | | 6 | 5,000 | 900 |

Product Lines - Cap Only

| Description | Millimeters | Inches | Carton Quantity |
|----------------|----------------------|--------|-----------------|
| Cap | Inner Shank Diameter | | |
| RT-6 / 1/4 | 6 | 1/4 | 10,000 |
| RT-8 / 5/16 | 8 | 5/16 | 7,000 |
| RT-9 1/2 / 3/8 | 9 1/2 | 3/8 | 5,000 |
| RT-13 / 1/2 | 13 | 1/2 | 5,000 |

Split Micro Pack (SMP)



High-quality one-piece plastic packaging for micro and specialty tools

Features & Benefits

- > Total protection for micro tools and special form tools
- > Shank positioning pressure base
- > Supporting ribs along the neck
- > Simple handling
- > Easy loading/unloading
- > Large space surrounding the tool for extra protection
- > Dual locking latches prevent accidental opening
- > Durable and reusable
- > Sturdy, oil and moisture resistant
- > PCR and/or recyclable material
- > Environmentally friendly



Product Lines

| Description | (inches) | | Carton Quantity |
|-------------|----------------------|--------|-----------------|
| | Inner Shank Diameter | Length | |
| SMP1 D 1/8 | 1/8 | 2.5 | 600 |
| SMP1 D 3/16 | 3/16 | | |
| SMP1 D 1/4 | 1/4 | | |
| SMP1 D 5/16 | 5/16 | | |
| SMP1 D 3/8 | 3/8 | | |
| SMP2 D 1/8 | 1/8 | 4 | 500 |
| SMP2 D 3/16 | 3/16 | | |
| SMP2 D 1/4 | 1/4 | | |
| SMP2 D 5/16 | 5/16 | | |
| SMP2 D 3/8 | 3/8 | | |

Contact Information

Headquarters & Main Production Site

Israel

Plasel Plastic Ltd.
Lavon Industrial Park 2011800,
Israel
Tel: +972 4 908 9820
Fax: +972 4 908 1313
orders@plasel.com
www.plaselplastic.com

South Korea

Plasel Plastic LLC
Busan New Port Logistics Center
Kintetsu World Express (Korea). Inc
16-15, Shinhang 4-ro, Jinhae-gu,
Changwon-si, Gyeongsangnam
Tel: +972 4 908 9820/34
Fax: +972 4 908 1313
plaselfe@plasel.com
www.plaselplastic.com

China

Plasel Plastic LLC
Free Trade Port Area,
Dayaowan Bay, Dalian 116600
Tel: +972 4 908 9820/34
Fax: +972 4 908 1313
plaselfe@plasel.com
www.plaselplastic.com

India

Plasel Plastic LLC
Logistics Park Plot No-7,
RoadNo-10 EPIP Whitefield,
Bangalore Karnataka 560 066
Tel: +972 4 908 9820/34
Fax: +972 4 908 1313
plaselfe@plasel.com
www.plaselplastic.com

US Headquarters

USA

Plasel Plastic USA Inc.
31596 Schoolcraft Rd. Livonia,
MI 48150, USA
Toll Free: 844-856-3501
Phone: 313-406-3826
Fax: 313-731-0472
usaplasel@plasel.com
www.plaselplastic.com

USA West Coast - Sales

5326 Bolsa Ave. Unit B
Huntington Beach,
CA 92649, USA
Tel: +1 714 373 5866
Cell: +1 562 225 6580
Fax: +1 714 373 5867
eric@carbidesystems.com
www.plaselplastic.com

European Headquarters

Germany

Plasel Deutschland GmbH
Dr. Klein Straße 17-21 88069
Tettngang, Germany
Eori number - DE 7068115
Tel: +49 7542 9804570
Fax: +49 7543 934499
info@plasel.com
www.plaselplastic.de

Poland - Distributor

Emtech IPH Group
Izabela Bukala
Brzozowa 3
59-100 Polkowice
office@emtechiph.pl
www.plaselplastic.com

Italy - Distributor

C.I.T. di B. Gianetti & C.snc
via M. A. Picco, 16
20132 Milano, Italy
amministrazione@citsnc.it
www.plaselplastic.com





ver. 03.25



plaselplastic.com