



Case Catalog





Visit our website
plaselplastic.com



Table of Contents

MAX Series 4

EKO Series 5

Procase Series 6

Advanced Series 7



Suitable for any type of use or application

Features & Benefits

- IP67 Certified
- Equipped with an automatic pressure release valve
- Waterproof and dustproof
- Ensuring superior protection from impacts and elements
- Innovative solutions for transport and protection
- Plasel cases are designed to withstand shocks, dust, and water
- Available in various sizes and internal configurations wide possibility
- Suitable for professional, industrial, and outdoor use
- Custom foam cutouts or standard eggshell foam is available



Product Lines

	External Diameter	Internal Diameter	Colors	Weight (Kg / lbs)	GBP*
	L x W x H	L x W x H			
MAX 200	200 x 125 x H90 mm 7.87 x 4.92 x H3.54 in	21.5 x 68.5 mm 0.85 x 2.7 in	●	0.56 kg 1.21 lb	Cubed foam
MAX235H105	235 x 180 x H106 mm 9.25 x 7.08 x H4.17 in	25 x 81 mm 0.98 x 3.19 in	● ●	0.84 kg 1.85 lb	Cubed foam
MAX235H155	235 x 180 x H156 mm 9.25 x 7.08 x H6.14 in	25 x 131 mm 0.98 x 5.16 in	● ●	1.00 kg 2.2 lb	Cubed foam
MAX300	300 x 225 x H132 mm 11.81 x 8.86 x H5.2 in	33 x 99 mm 1.30 x 3.90 in	● ● ●	1.62 kg 3.57 lb	Cubed foam
MAX380H115	380 x 270 x H115 mm 14.96 x 10.62H4.52 in	36 x 79 mm 1.42 x 3.11 in	●	1.86 kg 4.10 lb	Cubed foam
MAX380H160	380 x 270 x H160 mm 14.96 x 10.62H6.29 in	36 x 124 mm 1.42 x 4.90 in	●	2.2 kg 4.85 lb	Cubed foam
MAX 400	400 x 230 x 260 mm 15.74 x 9.05 x 10.23 in	47.5 x 212.5 mm 1.87 x 8.36 in	●	2.44 kg 5.37 lb	Cubed foam
MAX430	426 x 290 x H159 mm 16.77 x 11.42 x H6.26 in	45 x 114 mm 1.77 x 4.49 in	● ● ●	2.76 kg 6.08 lb	Cubed foam

* GBP: Convuluted Foam

Suitable for any type of use or application

Features & Benefits

- > IP65 Certified
- > Equipped with an automatic pressure release valve
- > Lightweight, impact-resistant shell
- > Stackable interlocking system
- > Easy to open double throw latches with push button
- > Available in various sizes and internal configurations wide possibility
- > Custom foam cutouts or standard eggshell foam is available



Product Lines

	External Diameter	Internal Diameter	Colors	Weight (kg / lbs)	GBP*
	L x W x H	L x W x H			Convolutd Foam
EKO 30	290 x 220 x 105 mm	83 + 22 mm	●	1.10 kg	Cubed Foam
	11.41 x 8.66 x 4.13 in	3.26 + 0.86 in		2.42 lb	
EKO30D	290 x 220 x 160 mm	138 + 22 mm	●	1.26 kg	Cubed Foam
	11.41 x 8.66 x 6.29 in	5.43 + 0.86 in		2.77 lb	
EKO 60	415 x 280 x H125 mm	92 + 33 mm	●	1.8 kg	Cubed Foam
	16.33 x 11.02 x 4.92 in	3.62 + 1.29 in		3.96 lb	
EKO60D	415 x 280 x H190 mm	157 + 33 mm	●	2.15 kg	Cubed Foam
	16.33 x 11.02 x 7.48 in	6.18 + 1.29 in		4.73 lb	
EKO 90	520 x 350 x H125 mm	89 + 36 mm	●	2.3 kg	Cubed Foam
	20.47 x 13.77 x 4.92 in	3.5 + 1.41 in		5.07 lb	
EKO90D	520 x 350 x H220 mm	184 + 36 mm	●	2.9 kg	Cubed Foam
	20.47 x 13.77 x 8.66 in	7.24 + 1.41 in		6.39 lb	

* GBP: Convolutd Foam

Durable and compact cases

Features & Benefits

- > Durable polypropylene structure
- > Metal hinge and professional clips
- > Safely store and transport
- > Square inner shape
- > Innovative solutions for transport and protection
- > Custom foam cutouts or standard eggshell foam is available
- > Available in bulk quantities only – Contact us for more information



Product Lines

	External Diameter	Internal Diameter	Lid H.	Bottom H.	Colors	Clip Colors	Weight (Kg)	GBP*
	L x W x H	L x W x H	The height of the lid	The height of the bottom				
170/34 H96	340 x 298 x 96 mm	324 x 252 x 87 mm	43.5 mm	43.5 mm		 [  ]	0.7 Kg 1.54 lb	✓
	13.39 x 11.73 x 3.78 in	12.76 x 9.92 x 3.42 in	1.71 in	1.71 in				
170/34 H128	340 x 298 x 128 mm	324 x 252 x 118 mm	43.5 mm	75 mm		 [  ]	0.78 Kg 1.54 lb	✓
	13.39 x 11.73 x 5.04 in	12.76 x 9.92 x 4.66 in	1.71 in	2.951 in				
170/34 H160	340 x 298 x 160 mm	324 x 252 x 150 mm	75 mm	75 mm		 [  ]	0.88 Kg 1.94 lb	✓
	13.39 x 11.73 x 6.3 in	12.76 x 9.92 x 5.9 in	2.951 in	2.951 in				
170/43 H122	425 x 342 x 122	406 x 290 x 110 mm	55 mm	55 mm		 [  ]	1.1 Kg 2.42 lb	✓
	16.73 x 13.46 x 4.8 in	15.98 x 11.42 x 4.32 in	2.16 in	2.16 in				
170/43 H156	425 x 342 x 156	406 x 290 x 144.5 mm	55 mm	89.5 mm		 [  ]	1.2 Kg 2.64 lb	✓
	16.73 x 13.46 x 6.14 in	15.98 x 11.42 x 5.68 in	2.16 in	3.52 in				
170/43 H190	425 x 342 x 190	406 x 290 x 179 mm	89.5 mm	89.5 mm		 [  ]	1.3 Kg 2.86 lb	✓
	16.73 x 13.46 x 7.48 in	15.98 x 11.42 x 7.04 in	3.52 in	3.52 in				
170/48 H132	482 x 375 x 132 mm	460 x 325 x 120 mm	60 mm	60 mm		 [  ]	1.4 Kg 3.08 lb	✓
	18.98 x 14.74 x 5.2 in	18.11 x 12.79 x 4.72 in	2.36 in	2.36 in				
170/48 H160	482 x 375 x 160 mm	460 x 325 x 145 mm	60 mm	85 mm		 [  ]	1.5 Kg 3.30 lb	✓
	18.98 x 14.76 x 6.3 in	18.11 x 12.79 x 5.71 in	2.36 in	3.35 in				
170/48 H184	482 x 375 x 184 mm	460 x 325 x 184 mm	85 mm	85 mm		 [  ]	1.6 Kg 3.52 lb	✓
	18.98 x 14.76 x 7.24 in	18.11 x 12.79 x 6.7 in	3.35 in	3.35 in				
170/60 H144	600 x 415 x 144 mm	575 x 355 x 132 mm	66 mm	66 mm		 [  ]	1.9 Kg 4.18 lb	✓
	23.63 x 16.34 x 5.67 in	22.64 x 13.98 x 5.2 in	2.6 in	2.6 in				
170/60 H184	600 x 415 x 184 mm	575 x 355 x 172 mm	66 mm	106 mm		 [  ]	2.24 Kg 4.93 lb	✓
	23.62 x 16.34 x 7.24 in	22.64 x 13.98 x 6.77 in	2.6 in	4.17 in				
170/60 H224	600 x 415 x 224 mm	575 x 355 x 212 mm	106 mm	106 mm		 [  ]	2.6 Kg 5.73 lb	✓
	23.62 x 16.34 x 8.82 in	22.64 x 13.98 x 8.34 in	4.17 in	4.17 in				

* GBP: Convuluted Foam

Soft lines and an innovative design

Features & Benefits

- > Durable polypropylene structure
- > Secure clips and built in handle
- > Safely store and transport
- > Square inner shape
- > Innovative solutions for transport and protection
- > Custom foam cutouts or standard eggshell foam is available
- > Available in bulk quantities only – Contact us for more information



Product Lines

	External Diameter	Internal Diameter	Lid H.	Bottom H.	Colors	Clip Colors	Weight (Kg)	GBP*
	L x W x H	L x W x H	The height of the lid	The height of the bottom				
170/25 Imp	240 x 205 x 48 mm	235 x 185 x 43 mm	13 mm	30 mm			0.16 Kg	
	9.45 x 8.07 x 1.88 in	9.25 x 7.28 x 1.69 in	0.51 in	1.18 in			0.35 lb	
170/28	280 x 240 x 76 mm	272 x 215 x 73 mm	22 mm	51 mm			0.29 Kg	
	11.02 x 9.44 x 2.99 in	10.71 x 8.47 x 2.88 in	0.87 in	2.01 in			0.63 lb	
170/30N	320 x 280 x 119 mm	312 x 250 x 115 mm	52 mm	63 mm			0.46 Kg	✓
	12.6 x 11.02 x 4.69 in	12.28 x 9.84 x 4.52 in	2.04 in	2.48 in			1.01 lb	
170/38N	395 x 300 x 103 mm	385 x 260 x 98 mm	43 mm	55 mm			0.58 Kg	✓
	15.55 x 11.81 x 4.06 in	15.16 x 10.24 x 3.86 in	1.69 in	2.17 in			1.27 lb	
170/26 H44	260 x 210 x 44 mm	248 x 177 x 39 mm	19.5 mm	19.5 mm			0.26 Kg	✓
	10.24 x 8.27 x 1.73 in	9.76 x 6.95 x 1.54 in	0.77 in	0.77 in			0.57 lb	
170/26 H60	260 x 210 x 60 mm	247 x 177 x 55 mm	19.5 mm	35.5 mm			0.26 Kg	✓
	10.24 x 8.27 x 2.36 in	9.72 x 6.95 x 2.17 in	0.77 in	1.40 in			0.57 lb	
170/26 H76	260 x 210 x 76 mm	247 x 177 x 71 mm	35.5 mm	35.5 mm			0.3 Kg	✓
	10.24 x 8.27 x 2.99 in	9.72 x 6.95 x 2.8 in	1.4 in	1.4 in			0.66 lb	
170/33	337 x 290 x 84 mm	332 x 235 x 78 mm	39 mm	39 mm			0.56 Kg	✓
	13.27 x 11.42 x 3.31 in	12.84 x 9.25 x 3.08 in	1.54 in	1.54 in			1.21 lb	
170/37	370 x 307 x 121 mm	363 x 256 x 115 mm	32 mm	83 mm			0.62 Kg	✓
	14.57 x 12.1 x 4.76 in	14.3 x 10.08 x 4.52 in	1.26 in	3.27 in			1.36 lb	
170/39CPL	390 x 318 x 114 mm	384 x 238 x 103 mm	51.5 mm	51.5 mm			0.84 Kg	
	15.35 x 12.52 x 4.49 in	15.12 x 9.37 x 4.06 in	2.03 in	2.03 in			1.85 lb	
170/40 H96	414 x 340 x 104 mm	400 x 295 x 95 mm	31 mm	64 mm			0.79 Kg	✓
	16.29 x 13.38 x 4.09 in	15.74 x 11.61 x 3.73 in	1.22 in	2.51 in			1.74 lb	
170/40 H130	414 x 340 x 140 mm	400 x 295 x 130 mm	31 mm	99 mm			0.98 Kg	✓
	16.29 x 13.38 x 5.51 in	15.74 x 11.61 x 6.33 in	1.22 in	5.11 in			2.16 lb	
170/44 H114	448 x 364 x 114 mm	434 x 300 x 107 mm	54 mm	54 mm			1 Kg	✓
	17.63 x 14.33 x 4.48 in	17.09 x 11.81 x 4.26 in	2.13 in	2.13 in			2.2 lb	
170/44 H148	448 x 364 x 148 mm	434 x 300 x 142 mm	71 mm	71 mm			1.06 Kg	✓
	17.63 x 14.33 x 5.82 in	17.09 x 11.81 x 5.58 in	2.79 in	2.79 in			2.33 lb	
170/51	515 x 415 x 135 mm	510 x 370 x 129 mm	64.5 mm	64.5 mm			1.21 Kg	✓
	20.28 x 16.34 x 5.31 in	20.08 x 14.57 x 5.08 in	2.54 in	2.54 in			2.66 lb	
TC200	410 x 343 x 90 mm	403 x 288 x 86 mm	39 mm	47 mm			0.66 Kg	
	16.14 x 13.50 x 3.54 in	15.87 x 11.34 x 3.38 in	1.53 in	1.85 in			1.45 Kg	

* GBP: Convuluted Foam

Contact Information

Headquarters & Main Production Site

Israel

Plasel Plastic Ltd.
Lavon Industrial Park 2011800,
Israel
Tel: + 972 4 908 9820
Fax: + 972 4 908 1313
orders@plasel.com
www.plaselplastic.com

South Korea

Plasel Plastic LLC
Busan New Port Logistics Center
Kintetsu World Express (Korea). Inc
16-15, Shinhang 4-ro, Jinhae-gu,
Changwon-si, Gyeongsangnam
Tel: + 972 4 908 9820/34
Fax: + 972 4 908 1313
plaselfe@plasel.com
www.plaselplastic.com

China

Plasel Plastic LLC
Free Trade Port Area,
Dayaowan Bay, Dalian 116600
Tel: + 972 4 908 9820/34
Fax: + 972 4 908 1313
plaselfe@plasel.com
www.plaselplastic.com

India

Plasel Plastic LLC
Logistics Park Plot No-7,
RoadNo-10 EPIP Whitefield,
Bangalore Karnataka 560 066
Tel: + 972 4 908 9820/34
Fax: + 972 4 908 1313
plaselfe@plasel.com
www.plaselplastic.com

US Headquarters USA

Plasel Plastic USA Inc.
31596 Schoolcraft Rd. Livonia,
MI 48150, USA
Toll Free: 844-856-3501
Phone: 313-406-3826
Fax: 313-731-0472
usaplasel@plasel.com
www.plaselplastic.com

USA West Coast - Sales

5326 Bolsa Ave. Unit B
Huntington Beach,
CA 92649, USA
Tel: + 1 714 373 5866
Cell: + 1 562 225 6580
Fax: + 1 714 373 5867
eric@carbidesystems.com
www.plaselplastic.com

European Headquarters Germany

Plasel Deutschland GmbH
Dr. Klein Straße 17-21 88069
Tett nang, Germany
Eori number - DE 7068115
Tel: + 49 7542 9804570
Fax: + 49 7543 934499
info@plasel.com
www.plaselplastic.de



plaselplastic.com

Notes

[illegible]

Notes

[illegible]



From Recycled to Remarkable

