



# Case Catalog





## Table of Contents

MAX Series .....	4
EKO Series .....	5
Procase Series .....	6
Advanced Series .....	7



Suitable for any type of use or application

## Features & Benefits

- > IP67 Certified
- > Equipped with an automatic pressure release valve
- > Waterproof and dustproof
- > Ensuring superior protection from impacts and elements
- > Innovative solutions for transport and protection
- > Plasel cases are designed to withstand shocks, dust, and water
- > Available in various sizes and internal configurations wide possibility
- > Suitable for professional, industrial, and outdoor use
- > Custom foam cutouts or standard eggshell foam is available



## Product Lines

	External Diameter	Internal Diameter	Cover Depth	Bottom	Colors	Weight (kg / lbs)	GPB*
	L x W x H	L x W x H					
MAX200	223 x 172 x 102 mm	200 x 125 x 90 mm	21.5 mm	68.5 mm	●	0.56 kg	Cubed foam
	8.78 x 6.76 x 4.02 in	7.87 x 4.92 x 3.54 in	0.85 in	2.7 in		1.21 lb	
MAX235105	258 x 243 x 117.5 mm	235 x 180 x 106 mm	25 mm	81 mm	● ●	0.84 kg	Cubed foam
	10.16 x 9.56 x 4.62 in	9.25 x 7.08 x 4.17 in	0.98 in	3.19 in		1.85 lb	
MAX235155	258 x 243 x 167.5 mm	235 x 180 x 156 mm	25 mm	131 mm	● ●	1.00 kg	Cubed foam
	10.16 x 9.56 x 6.59 in	9.25 x 7.08 x 6.14 in	0.98 in	5.16 in		2.2 lb	
MAX300	336 x 300 x 148 mm	300 x 225 x 132 mm	33 mm	99 mm	● ● ●	1.62 kg	Cubed foam
	13.23 x 11.81 x 5.83 in	11.81 x 8.86 x 5.2 in	1.30 in	3.90 in		3.57 lb	
MAX380115	414 x 345 x 129 mm	380 x 270 x 115 mm	36 mm	79 mm	●	1.86 kg	Cubed foam
	16.30 x 13.58 x 5.08 in	14.96 x 10.62 x 4.52 in	1.42 in	3.11 in		4.10 lb	
MAX380160	414 x 345 x 174 mm	380 x 270 x 160 mm	36 mm	124 mm	●	2.2 kg	Cubed foam
	16.30 x 13.58 x 6.85 in	14.96 x 10.62 x 6.29 in	1.42 in	4.90 in		4.85 lb	
MAX400	456 x 290 x 318 mm	400 x 230 x 260 mm	47.5 mm	212.5 mm	●	2.44 kg	Cubed foam
	17.95 x 11.41 x 12.51 in	15.74 x 9.05 x 10.23 in	1.87 in	8.36 in		5.37 lb	
MAX430	464 x 366 x 176 mm	426 x 290 x 159 mm	45 mm	114 mm	● ● ●	2.76 kg	Cubed foam
	18.27 x 14.41 x 6.93 in	16.77 x 11.42 x 6.26 in	1.77 in	4.49 in		6.08 lb	

\* GPB: Convuluted Foam

Suitable for any type of use or application

## Features & Benefits

- > IP65 Certified
- > Equipped with an automatic pressure release valve
- > Lightweight, impact-resistant shell
- > Stackable interlocking system
- > Easy to open double throw latches with push button
- > Available in various sizes and internal configurations wide possibility
- > Custom foam cutouts or standard eggshell foam is available



## Product Lines

	External Diameter	Internal Diameter	Cover Depth	Bottom	Colors	Weight (kg / lbs)	GBP*
	L x W x H	L x W x H					
EKO30	335 x 295 x 122 mm	290 x 220 x 105 mm	22 mm	83 mm	●	1.10 kg	Cubed Foam
	13.18 x 11.61 x 4.80 in	11.41 x 8.66 x 4.13 in	0.86 in	3.26 in		2.42 lb	
EKO30D	335 x 295 x 177 mm	290 x 220 x 160 mm	22 mm	138 mm	●	1.26 kg	Cubed Foam
	13.18 x 11.61 x 6.96 in	11.41 x 8.66 x 6.29 in	0.86 in	5.43 in		2.77 lb	
EKO60	465 x 355 x 145 mm	415 x 280 x 125 mm	33 mm	92 mm	●	1.8 kg	Cubed Foam
	18.30 x 13.97 x 5.70 in	16.33 x 11.02 x 4.92 in	1.29 in	3.62 in		3.96 lb	
EKO60D	465 x 355 x 210 mm	415 x 280 x 190 mm	33 mm	157 mm	●	2.14 kg	Cubed Foam
	18.30 x 13.97 x 8.26 in	16.33 x 11.02 x 7.48 in	1.29 in	6.18 in		4.73 lb	
EKO90	572 x 425 x 144 mm	520 x 350 x 125 mm	36 mm	89 mm	●	2.3 kg	Cubed Foam
	22.51 x 16.73 x 5.66 in	20.47 x 13.77 x 4.92 in	1.41 in	3.5 in		5.07 lb	
EKO90D	572 x 425 x 239 mm	520 x 350 x 220 mm	36 mm	184 mm	●	2.9 kg	Cubed Foam
	22.51 x 16.73 x 9.40 in	20.47 x 13.77 x 8.66 in	1.41 in	7.24 in		6.39 lb	

\* GBP: Convuluted Foam

## Durable and compact cases

### Features & Benefits

- > Durable polypropylene structure
- > Metal hinge and professional clips
- > Safely store and transport
- > Square inner shape
- > Innovative solutions for transport and protection
- > Custom foam cutouts or standard eggshell foam is available
- > Available in bulk quantities only – Contact us for more information



### Product Lines

	External Diameter	Internal Diameter	Lid H.	Bottom H.	Colors	Clip Colors	Weight (kg)	GBP*
	L x W x H	L x W x H	The height of the lid	The height of the bottom				
170/34 H96	340 x 298 x 96 mm	324 x 252 x 87 mm	43.5 mm	43.5 mm	●	● [●●●●]	0.7 kg	✓
	13.39 x 11.73 x 3.78 in	12.76 x 9.92 x 3.42 in	1.71 in	1.71 in			1.54 lb	
170/34 H128	340 x 298 x 128 mm	324 x 252 x 118 mm	43.5 mm	75 mm	●	● [●●●●]	0.78 kg	✓
	13.39 x 11.73 x 5.04 in	12.76 x 9.92 x 4.66 in	1.71 in	2.951 in			1.54 lb	
170/34 H160	340 x 298 x 160 mm	324 x 252 x 150 mm	75 mm	75 mm	●	● [●●●●]	0.88 kg	✓
	13.39 x 11.73 x 6.3 in	12.76 x 9.92 x 5.9 in	2.951 in	2.951 in			1.94 lb	
170/43 H122	425 x 342 x 122	406 x 290 x 110 mm	55 mm	55 mm	●	● [●●●●]	1.1 kg	✓
	16.73 x 13.46 x 4.8 in	15.98 x 11.42 x 4.32 in	2.16 in	2.16 in			2.42 lb	
170/43 H156	425 x 342 x 156	406 x 290 x 144.5 mm	55 mm	89.5 mm	●	● [●●●●]	1.2 kg	✓
	16.73 x 13.46 x 6.14 in	15.98 x 11.42 x 5.68 in	2.16 in	3.52 in			2.64 lb	
170/43 H190	425 x 342 x 190	406 x 290 x 179 mm	89.5 mm	89.5 mm	●	● [●●●●]	1.3 kg	✓
	16.73 x 13.46 x 7.48 in	15.98 x 11.42 x 7.04 in	3.52 in	3.52 in			2.86 lb	
170/48 H132	482 x 375 x 132 mm	460 x 325 x 120 mm	60 mm	60 mm	●●	● [●●●●]	1.4 kg	✓
	18.98 x 14.74 x 5.2 in	18.11 x 12.79 x 4.72 in	2.36 in	2.36 in			3.08 lb	
170/48 H160	482 x 375 x 160 mm	460 x 325 x 145 mm	60 mm	85 mm	●●	● [●●●●]	1.5 kg	✓
	18.98 x 14.76 x 6.3 in	18.11 x 12.79 x 5.71 in	2.36 in	3.35 in			3.30 lb	
170/48 H184	482 x 375 x 184 mm	460 x 325 x 184 mm	85 mm	85 mm	●●	● [●●●●]	1.6 kg	✓
	18.98 x 14.76 x 7.24 in	18.11 x 12.79 x 6.7 in	3.35 in	3.35 in			3.52 lb	
170/60 H144	600 x 415 x 144 mm	575 x 355 x 132 mm	66 mm	66 mm	●	● [●●●●]	1.9 kg	✓
	23.63 x 16.34 x 5.67 in	22.64 x 13.98 x 5.2 in	2.6 in	2.6 in			4.18 lb	
170/60 H184	600 x 415 x 184 mm	575 x 355 x 172 mm	66 mm	106 mm	●	● [●●●●]	2.24 kg	✓
	23.62 x 16.34 x 7.24 in	22.64 x 13.98 x 6.77 in	2.6 in	4.17 in			4.93 lb	
170/60 H224	600 x 415 x 224 mm	575 x 355 x 212 mm	106 mm	106 mm	●	● [●●●●]	2.6 kg	✓
	23.62 x 16.34 x 8.82 in	22.64 x 13.98 x 8.34 in	4.17 in	4.17 in			5.73 lb	

\* GBP: Convuluted Foam

## Soft lines and an innovative design

### Features & Benefits

- › Durable polypropylene structure
- › Secure clips and built in handle
- › Safely store and transport
- › Square inner shape
- › Innovative solutions for transport and protection
- › Custom foam cutouts or standard eggshell foam is available
- › Available in bulk quantities only – Contact us for more information



### Product Lines

	External Diameter	Internal Diameter	Lid H.	Bottom H.	Colors	Clip Colors	Weight (kg)	GBP*
	L x W x H	L x W x H	The height of the lid	The height of the bottom				
170/25 Imp	240 x 205 x 48 mm	235 x 185 x 43 mm	13 mm	30 mm	●●●○		0.16 kg	
	9.45 x 8.07 x 1.88 in	9.25 x 7.28 x 1.69 in	0.51 in	1.18 in				
170/28	280 x 240 x 76 mm	272 x 215 x 73 mm	22 mm	51 mm	●○		0.29 kg	
	11.02 x 9.44 x 2.99 in	10.71 x 8.47 x 2.88 in	0.87 in	2.01 in				
170/30N	320 x 280 x 119 mm	312 x 250 x 115 mm	52 mm	63 mm	●●●		0.46 kg	✓
	12.6 x 11.02 x 4.69 in	12.28 x 9.84 x 4.52 in	2.04 in	2.48 in				
170/38N	395 x 300 x 103 mm	385 x 260 x 98 mm	43 mm	55 mm	●●●		0.58 kg	✓
	15.55 x 11.81 x 4.06 in	15.16 x 10.24 x 3.86 in	1.69 in	2.17 in				
170/26 H44	260 x 210 x 44 mm	248 x 177 x 39 mm	19.5 mm	19.5 mm	●	●●●●	0.26 kg	✓
	10.24 x 8.27 x 1.73 in	9.76 x 6.95 x 1.54 in	0.77 in	0.77 in				
170/26 H60	260 x 210 x 60 mm	247 x 177 x 55 mm	19.5 mm	35.5 mm	●○	●●●●	0.26 kg	✓
	10.24 x 8.27 x 2.36 in	9.72 x 6.95 x 2.17 in	0.77 in	1.40 in				
170/26 H76	260 x 210 x 76 mm	247 x 177 x 71 mm	35.5 mm	35.5 mm	●	●●●●	0.3 kg	✓
	10.24 x 8.27 x 2.99 in	9.72 x 6.95 x 2.8 in	1.4 in	1.4 in				
170/33	337 x 290 x 84 mm	332 x 235 x 78 mm	39 mm	39 mm	●	●●●●	0.56 kg	✓
	13.27 x 11.42 x 3.31 in	12.84 x 9.25 x 3.08 in	1.54 in	1.54 in				
170/37	370 x 307 x 121 mm	363 x 256 x 115 mm	32 mm	83 mm	●●○	●●●●	0.62 kg	✓
	14.57 x 12.1 x 4.76 in	14.3 x 10.08 x 4.52 in	1.26 in	3.27 in				
170/39CPL	390 x 318 x 114 mm	384 x 238 x 103 mm	51.5 mm	51.5 mm	●●	●	0.84 kg	
	15.35 x 12.52 x 4.49 in	15.12 x 9.37 x 4.06 in	2.03 in	2.03 in				
170/40 H96	414 x 340 x 104 mm	400 x 295 x 95 mm	31 mm	64 mm	●○	●●●●	0.79 kg	✓
	16.29 x 13.38 x 4.09 in	15.74 x 11.61 x 3.73 in	1.22 in	2.51 in				
170/40 H130	414 x 340 x 140 mm	400 x 295 x 130 mm	31 mm	99 mm	●	●●●●	0.98 kg	✓
	16.29 x 13.38 x 5.51 in	15.74 x 11.61 x 6.33 in	1.22 in	5.11 in				
170/44 H114	448 x 364 x 114 mm	434 x 300 x 107 mm	54 mm	54 mm	●●	●●●●	1 kg	✓
	17.63 x 14.33 x 4.48 in	17.09 x 11.81 x 4.26 in	2.13 in	2.13 in				
170/44 H148	448 x 364 x 148 mm	434 x 300 x 142 mm	71 mm	71 mm	●	●●●●	1.06 kg	✓
	17.63 x 14.33 x 5.82 in	17.09 x 11.81 x 5.58 in	2.79 in	2.79 in				
170/51	515 x 415 x 135 mm	510 x 370 x 129 mm	64.5 mm	64.5 mm	●●●	●●●●	1.21 kg	✓
	20.28 x 16.34 x 5.31 in	20.08 x 14.57 x 5.08 in	2.54 in	2.54 in				
TC200	410 x 343 x 90 mm	403 x 288 x 86 mm	39 mm	47 mm	●	●	0.66 kg	
	16.14 x 13.50 x 3.54 in	15.87 x 11.34 x 3.38 in	1.53 in	1.85 in				

\* GBP: Convuluted Foam

# Contact Information

## Headquarters & Main Production Site

### Israel

Plasel Plastic Ltd.  
Lavon Industrial Park 2011800,  
Israel  
Tel: + 972 4 908 9820  
Fax: + 972 4 908 1313  
**orders@plasel.com**  
**www.plaselplastic.com**

### South Korea

Plasel Plastic LLC  
Busan New Port Logistics Center  
Kintetsu World Express (Korea). Inc  
16-15, Shinhang 4-ro, Jinhae-gu,  
Changwon-si, Gyeongsangnam  
Tel: + 972 4 908 9820/34  
Fax: + 972 4 908 1313  
**plaselife@plasel.com**  
**www.plaselplastic.com**

### China

Plasel Plastic LLC  
Free Trade Port Area,  
Dayaowan Bay, Dalian 116600  
Tel: + 972 4 908 9820/34  
Fax: + 972 4 908 1313  
**plaselife@plasel.com**  
**www.plaselplastic.com**

### India

Plasel Plastic LLC  
Logistics Park Plot No-7,  
RoadNo-10 EPIP Whitefield,  
Bangalore Karnataka 560 066  
Tel: + 972 4 908 9820/34  
Fax: + 972 4 908 1313  
**plaselife@plasel.com**  
**www.plaselplastic.com**

## US Headquarters

### USA

Plasel Plastic USA Inc.  
31596 Schoolcraft Rd. Livonia,  
MI 48150, USA  
Toll Free: 844-856-3501  
Phone: 313-406-3826  
Fax: 313-731-0472  
**usaplasel@plasel.com**  
**www.plaselplastic.com**

### USA West Coast - Sales

5326 Bolsa Ave. Unit B  
Huntington Beach,  
CA 92649, USA  
Tel: + 1 714 373 5866  
Cell: + 1 562 225 6580  
Fax: + 1 714 373 5867  
**eric@carbidesystems.com**  
**www.plaselplastic.com**

## European Headquarters

### Germany

Plasel Deutschland GmbH  
Dr. Klein Straße 17-21 88069  
Tettngang, Germany  
Eori number - DE 7068115  
Tel: + 49 7542 9804570  
Fax: + 49 7543 934499  
**info@plasel.com**  
**www.plaselplastic.de**



plaselplastic.com

